

600 Series Cooler Options

Lead Time	Cooler (Part Number Configurator: 600)	
3 wks	622	One 5" Heat Exchanger, (1) Active, (1) Sample Stream <i>(Requires 12 VDC Power Supply)</i>
	632	Two 5" Heat Exchangers, (1) Passive/(1) Active, (1) Sample Stream <i>(Requires 12 VDC Power Supply)</i>
	642	Two 5" Heat Exchangers, (2) Active, (1) Sample Stream <i>(Requires 12 VDC Power Supply)</i>
	624	One 5" Heat Exchanger, (1) Active, (1) Sample Stream <i>(Requires 24 VDC Power Supply)</i>
	634	One (1) Sample Point - Two 5" Heat Exchangers, (1) Passive, (1) Active <i>(Requires 24 VDC Power Supply)</i>
	644	One (1) Sample Point - Two 5" Heat Exchangers, (2) Active <i>(Requires 24 VDC Power Supply)</i>
+1 wk	5" Heat Exchanger Material (Price per Heat Exchanger)	
	SS	316 Stainless Steel: (Inner and Outer)
	PV	Glass/Kynar: (Kynar Inner/Glass Outer)
	C	Hastelloy C276: (316SS Inner/C276 Outer)
	CC	Hastelloy C276: (Inner and Outer)
	ST	Teflon Coated 316 Stainless Steel:
	SW	316 Welded Stainless Steel: (High Pressure)
	SN	SilcoNert™ 2000 coated 316 Stainless Steel:
	KK	Kynar/ Kynar: (Inner and Outer)
	N	No Heat Exchangers Included
	Condensate Carry-Over Sensor	
	CCSF	with 2µm Ceramic Filter
	CCS	without Filter
	N	No Condensate Carry-Over Sensor
	Options	
TCK	New Jersey Option - Type K T/C	
TCJ	New Jersey Option - Type J T/C	
N	No New Jersey Option Included	
644	-SS -CCSF -N	

* Lead Times are not compounded. Lead time is Cooler + longest option.